



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/784,205

02/24/2004

Hiroyuki Tokimatsu

04175.0056

9233

22852

7590

07/21/2008

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER
LLP

901 NEW YORK AVENUE, NW
WASHINGTON, DC 20001-4413

EXAMINER

DICKER, DENNIS T

ART UNIT

PAPER NUMBER

2625

MAIL DATE

DELIVERY MODE

07/21/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/784,205	Applicant(s) TOKIMATSU, HIROYUKI	
	Examiner DENNIS DICKER	Art Unit 2625	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 07 April 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-15 and 18-24 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-15 and 18-24 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 24 February 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

1. Applicant's arguments with respect to claim 1-15 and 18-24 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-5, 13, 19 and 22-24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ishiguru Hisashi (hereinafter "Hisashi '290" JP 11-127290) in view of Owa et al (hereinafter "Owa '971" US 6,348,971).

With respect to **Claim 1**, Hisashi '290 teaches an image forming **system (i.e., Para 007, System of a plurality of printers)** comprising: communication unit for interconnection (**i.e., Para 0007 , Network connecting plurality of printers**) ; and a plurality of electrophotographic image forming apparatuses (**i.e., Para 0007, Plurality of printers)** each visualizing a latent image on a latent image carrier generated based on input image data (**i.e., Para 0007, Printers can print on an latent image carrier image data received from an input device**) by a developer and transferring the visualized image to a recording material (**i.e., Para 0007 and Para 0012, Computer is connected to printers where the image data is transferred to the printers and the**

visualized image is transferred to a recording material by unit of a developer),
which are connected via said communication unit (**i.e., Para 0021, connected by a via communication network**).

Hisashi '290 does not explicitly teach storing usage histories of the latent image carriers of the image forming apparatuses and having a function of selecting image forming apparatuses outputting the image based on the carrier usage history data stored in memory.

However, the mentioned claimed limitations are well known in the art as evidenced by Owa '971, In particular, Owa '971 teaches the use of storing usage histories (**i.e., Col. 4 lines 6-17, status monitor stores usage history for a plurality of printers**) of the latent image carriers of the image forming apparatuses (**i.e., Fig. 4, example of usage histories**) and having a function of selecting image forming apparatuses outputting the image based on the carrier usage history data stored in memory (**i.e., Col. 7 lines 23-39, an optimum printer is selected based on usage history data**).

In view of this, it would have been obvious to one having ordinary skill in the art at the time of invention was made to modify the image forming system of Hisashi '290 as taught by Owa '971 since Owa '971 suggested in Col. 2 lines 1-6 that such a modification would provide a printing system and a printing method that can select an optimum printer for printing from among the printers connected to a host computer and enable effective use of the printers without the need for the user to keep track of the performance and specifications of available printers.

With respect to **Claim 2**, Hisashi '290 teaches an image forming system wherein the usage history of said latent image carrier is based on the number of transferred pages obtained with reference to an operating time (**i.e., Para 0079, the user can base the amount of operating time remaining on the amount of pages transferred which is obtained from each printer**).

With respect to **Claim 3**, Hisashi '290 teaches an image forming system wherein the usage history of said latent image carrier is modified according to a characteristic of deterioration through use of each latent image carrier (**i.e., Para 0070 , The usage history modified based on the remaining latent image carriers**).

With respect to **Claim 4**, Hisashi '290 teaches an image forming system wherein the image forming apparatuses outputting the image are selected so that the usage histories of the latent image carriers of the image forming apparatuses are approximately the same. (**i.e., Para 0069 and Para 0078, the printer with the least number of available pages is chosen based on the number of available latent image carriers so that they are all approximately the same in all available printers**).

With respect to **Claim 5**, Hisashi '290 teaches an image forming system (**i.e., Para 007, System of a plurality of printers**) comprising: communication unit for interconnection (**i.e., Para 0007 , Network connecting plurality of printers**); and a plurality of electrophotographic image forming apparatuses (**i.e., Para 0007, Plurality of printers)** each visualizing a latent image on a latent image carrier generated based on input image data by a developer (**i.e., Para 0007, Printers can print on an latent**

image carrier, image data received from an input device) and transferring the visualized image to a recording material (**i.e., Para 0007 and Para 0012, Computer is connected to printers where the image data is transferred to the printers and the visualized image is transferred to a recording material by unit of a developer**), which are connected via said communication unit (**i.e., Para 0021, connected by a via communication network**).

Hisashi '290 does not explicitly teach the image forming system having memory to store developer usage histories data corresponding to a deterioration of a characteristic of the developer through use of the developer in the image forming apparatuses and having a function of selecting image forming apparatuses outputting the image based on the developer usage history data stored in the memory.

However, the mentioned claimed limitations are well known in the art as evidenced by Owa '971, In particular, Owa '971 teaches the use of having memory (**i.e., Col. 27 line 8-Col. 28 line 2**) to store developer usage histories data corresponding to a deterioration of a characteristic of the developer through use of the developer in the image forming apparatuses (**i.e., Col. 17 lines 23-34, many variations of a consumable may be implemented to claimed invention such as the deterioration of a characteristic of a developer**) and having a function of selecting image forming apparatuses outputting the image based on the developer usage history data stored in the memory (**i.e., Col. 7 lines 23-39, an optimum printer is selected based on usage history data**)..

In view of this, it would have been obvious to one having ordinary skill in the art at the time of invention was made to modify the image forming system of Hisashi '290 as taught by Owa '971 since Owa '971 suggested in Col. 2 lines 1-6 that such a modification would provide a printing system and a printing method that can select an optimum printer for printing from among the printers connected to a host computer and enable effective use of the printers without the need for the user to keep track of the performance and specifications of available printers.

With respect to **Claim 13**, Hisashi '290 teaches an image forming system (**i.e., Para 007, System of a plurality of printers**) comprising: a communication unit for interconnection (**i.e., Para 0007 , Network connecting plurality of printers**); and a plurality of electrophotographic image forming apparatuses (**i.e., Para 0007, Plurality of printers)** each visualizing a latent image on a latent image carrier generated based on input image data by a developer (**i.e., Para 0007, Printers can print on an latent image carrier image data received from an input device**) and transferring the visualized image to a recording material (**i.e., Para 0007 and Para 0012, Computer is connected to printers where the image data is transferred to the printers and the visualized image is transferred to a recording material by unit of a developer**), which are connected via said communication unit (**i.e., Para 0021, connected by a via communication network**).

Hisashi '290 does not explicitly teach an image forming system having memory to store information related to an average black ratio of developer after replacement and

having a function of selecting image forming apparatuses outputting the image based on the average black ratio obtained from the information.

However, the mentioned claimed limitations are well known in the art as evidenced by Owa '971, In particular, Owa'971 teaches the use of having memory (**i.e., Col. 27 line 8-Col. 28 line 2**) to store information related to an average black ratio of developer after replacement (**i.e., Col. 17 lines 23-34, the check result evaluation may include various modifications by those skilled and may include an average black ratio of the developer after replacement**) and having a function of selecting image forming apparatuses outputting the image based on the average black ratio obtained from the information (**i.e., Col. 7 lines 23-39, an optimum printer is selected based on usage history data**).

In view of this, it would have been obvious to one having ordinary skill in the art at the time of invention was made to modify the image forming system of Hisashi '290 as taught by Owa '971 since Owa '971 suggested in Col. 2 lines 1-6 that such a modification would provide a printing system and a printing method that can select an optimum printer for printing from among the printers connected to a host computer and enable effective use of the printers without the need for the user to keep track of the performance and specifications of available printers.

With respect to **Claim 19**, Hisashi '290 teaches The image forming system wherein a part or all of the plurality of image forming apparatuses connected to each other via said communication unit are of different models (**i.e., Para 0050, the Printers connected to each other are of different models**)

With respect to **Claim 22**, Hisashi '290 teaches an image forming system further comprising a host device control unit for selecting the image forming apparatuses outputting the image based on one of the data (**i.e., Drawing 2 and Para 0019, host device control unit for selecting an image forming apparatus based on the data**)

With respect to **Claim 23**, Hisashi '290 teaches The image forming system wherein said host device control unit is incorporated in at least one of the image forming apparatuses (**i.e., Para 0059 , host device control unit incorporated in one of image forming apparatuses**)

With respect to **Claim 24**, Hisashi '290 teaches an image forming system wherein said host device control unit is connected to said image forming apparatuses independently of the image forming apparatuses connected to each other (**i.e., Para 0059, host device control unit is connected to the master machine independent of the image forming machines**).

4. Claims 6-8 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hisashi '290 and Owa '971 as applied to claim 5 above, and further in view of Hopper et al (hereinafter "Hopper '391" US 7,061,391).

With respect to **Claim 6**, Owa '971 teaches an image forming system, wherein the usage history is based on the number of transferred pages obtained (**i.e., Fig. 4**).

The combination of Hisashi '290 and Owa '971 does not explicitly teach an image forming system wherein the usage history of the developer is based on the number of

transferred pages with reference to an operating time of a developing device which contains the developer and supplies it to the latent image carrier, or recording materials.

However, the mentioned claimed limitations are well known in the art as evidenced by Hopper '391, In particular, Hopper '391 teaches the use of an image forming system wherein the usage history of the developer is based on the number of transferred pages with reference to an operating time of a developing device(**i.e., Col 3 Lines 56-58 and Col. 2 Lines 7-16,Usage history of developer is based on number of transferred pages, where the user may choose a image forming apparatus operating time depending on available developer level**), which contains the developer and supplies it to the latent image carrier, or recording materials. (**i.e., Col. 2 Lines 20-24, on the basis of the remaining developer a determination are made to output remaining developer for an image forming apparatus onto a latent image carrier**)

In view of this, it would have been obvious to one having ordinary skill in the art at the time of invention was made to modify the image forming system of Hisashi '290 and Owa '971 as taught by Hopper '391 since Hopper '391 suggested in Col. 1 Lines 35-38 that such a modification would provide additional status information such as paper toner before the resource depletion level to allow for more active monitoring and maintenance of printers.

With respect to **Claim 7**, the combination of Hisashi '290 and Owa '971 does not explicitly teach the image forming system wherein the usage history of the developer is modified according to a characteristic of deterioration through use of the developer.

However, the mentioned claimed limitations are well known in the art as evidenced by Hopper '391, In particular, Hopper '391 teaches the use of an image forming system wherein the usage history of the developer is modified according to a characteristic of deterioration (**i.e., Col. 3 Line 60, adjustment factor**) through use of the developer (**i.e., Col 3 Lines 60-63, The adjustment factor modifies the usage history of the developer as it is used**).

In view of this, it would have been obvious to one having ordinary skill in the art at the time of invention was made to modify the image forming system of Hisashi '290 and Owa '971 as taught by Hopper '391 since Hopper '391 suggested in Col. 1 Lines 35-38 that such a modification would provide additional status information such as paper toner before the resource depletion level to allow for more active monitoring and maintenance of printers.

With respect to **Claim 8**, , the combination of Hisashi '290 and Owa '971 does not explicitly teach an image forming system wherein the image forming apparatuses outputting the image are selected so that the usage histories of the developer are approximately the same in the image forming apparatuses.

However, the mentioned claimed limitations are well known in the art as evidenced by Hopper '391, In particular, Hopper '391 teaches the use of an image forming system wherein the image forming apparatuses outputting the image are selected so that the usage histories of the developer are approximately the same in the image forming apparatuses (**i.e., Col. 6 Lines 15-22, User is prompted by a display to use the function of an input device to select an image forming apparatus with a**

designated printer so that the usage histories of the developers are approximately the same)

In view of this, it would have been obvious to one having ordinary skill in the art at the time of invention was made to modify the image forming system of Hisashi '290 and Owa '971 as taught by Hopper '391 since Hopper '391 suggested in Col. 1 Lines 35-38 that such a modification would provide additional status information such as paper toner before the resource depletion level to allow for more active monitoring and maintenance of printers.

With respect to **Claim 10**, the combination of Hisashi '290 and Owa '971 does not explicitly teach an image forming system, wherein the usage history after maintenance is based on the number of transferred pages obtained with reference to an operating time for image formation of the image forming apparatus or recording materials

However, the mentioned claimed limitations are well known in the art as evidenced by Hopper '391, In particular, Hopper '391 teaches the use of image forming system wherein the usage history after maintenance is based on the number of transferred pages (**i.e., Fig. 2 , the number pages remaining is an estimate of when the next maintenance is needed)** obtained with reference to an operating time for image formation of the image forming apparatus or recording materials (**i.e., Fig. 2, The amount of pages remaining and the number of pages used in a period of time will give the user an estimate of the operating time till the next maintenance).**

In view of this, it would have been obvious to one having ordinary skill in the art at the time of invention was made to modify the image forming system of Hisashi '290 and Owa '971 as taught by Hopper '391 since Hopper '391 suggested in Col. 1 Lines 35-38 that such a modification would provide additional status information such as paper toner before the resource depletion level to allow for more active monitoring and maintenance of printers.

5. Claims 9, 11 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hisashi '290 in view of Owa '971 and further in view of Hopper '391.

With respect to **Claim 9**, Hisashi '290 teaches an image forming system (i.e., **Para 007, System of a plurality of printers**) comprising: communication unit for interconnection (i.e., **Para 0007 , Network connecting plurality of printers**); and a plurality of electrophotographic image forming apparatuses (i.e., **Para 0007, Plurality of printers**) each visualizing a latent image on a latent image carrier generated based on input image' data by unit of developer (i.e., **Para 0007, Printers can print on an latent image carrier image data received from an input device**) and transferring the visualized image to a recording material (i.e., **Para 0007 and Para 0012, Computer is connected to printers where the image data is transferred to the printers and the visualized image is transferred to a recording material by unit of a developer**), which are connected via said communication unit (i.e., **Para 0021, connected by a via communication network**).

Hisashi '290 does not explicitly teach an image forming system having unit for storing usage histories after maintenance of the image forming apparatuses and having a function of selecting image forming apparatuses outputting the image based on the usage history data

However, the mentioned claimed limitations are well known in the art as evidenced by Owa '971 and Hopper '391, In particular, Owa'971 teaches the use of having a function of selecting image forming apparatuses outputting the image based on the usage history data **(i.e., Para 0021, connected by a via communication network)** and Hopper '391 teaches the use of image forming system **(i.e., Fig. 1, Image forming system)** having unit for storing usage histories after maintenance of the image forming apparatuses **(i.e., Col. 5 Lines 12-20, histories of developer after maintenance from each printer are stored in a computer where they can be displayed to the user).**

In view of this, it would have been obvious to one having ordinary skill in the art at the time of invention was made to modify the image forming system of Hisashi '290 as taught by Hopper '391 since Hopper '391 suggested in Col. 1 Lines 35-38 that such a modification would provide additional status information such as paper toner before the resource depletion level to allow for more active monitoring and maintenance of printers and since Owa '971 suggested in Col. 2 lines 1-6 that such a modification would provide a printing system and a printing method that can select an optimum printer for printing from among the printers connected to a host computer and enable effective use

of the printers without the need for the user to keep track of the performance and specifications of available printers.

With respect to **Claim 11**, Hisashi '290 does not explicitly teach an image forming system wherein the usage history after maintenance is modified according to a characteristic of deterioration through use of each image forming apparatus

However, the mentioned claimed limitations are well known in the art as evidenced by Hopper '391, In particular, Hopper '391 teaches the use of image forming system wherein the usage history after maintenance is modified according to a (i.e., **Col. 3 Line 60, adjustment factor**) characteristic of deterioration through use of each image forming apparatus (i.e., **Col 3 Lines 60-63, The adjustment factor modifies the usage history after maintenance of toner in the image forming apparatus**).

In view of this, it would have been obvious to one having ordinary skill in the art at the time of invention was made to modify the image forming system of Hisashi '290 as taught by Hopper '391 since Hopper '391 suggested in Col. 1 Lines 35-38 that such a modification would provide additional status information such as paper toner before the resource depletion level to allow for more active monitoring and maintenance of printers.

With respect to **Claim 12**, Hisashi '290 does not explicitly teach an image forming system wherein the image forming apparatuses outputting the image are selected so that the usage histories after maintenance.

However, the mentioned claimed limitations are well known in the art as evidenced by Hopper '391, In particular, Hopper '391 teaches the use of image forming

system wherein the image forming apparatuses outputting the image are selected so that the usage histories after maintenance. (i.e., **Col. 6 Lines 15-22, User is prompted by a display to use the function of an input device to select an image forming apparatus with a designated printer so that the usage histories of the developers are approximately the same after maintenance**).

In view of this, it would have been obvious to one having ordinary skill in the art at the time of invention was made to modify the image forming system of Hisashi '290 as taught by Hopper '391 since Hopper '391 suggested in Col. 1 Lines 35-38 that such a modification would provide additional status information such as paper toner before the resource depletion level to allow for more active monitoring and maintenance of printers.

6. Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hisashi '290 and Owa '971 and applied to Claim 13 above and further of Jamison et al (hereinafter "Jamison '773 " 2004/0080773).

With respect to **Claim 14**, the combination of Hisashi '290 and Owa '971 does not explicitly teach calculating the photographic densities during image formation successively (i.e., **Para 0007 and 10 of Fig. 1, the photographic densities are calculated by a processor**), and calculates the average photographic densities from the usage histories (i.e., **110 of Fig. 1, Processor calculates photographic densities from the usage histories**) and the successively calculated photographic densities

(i.e., Average photographic densities used will give user an idea of remaining pages left as taught by Hopper '391)

However, the mentioned claimed limitations are well known in the art as evidenced by Jamison '773, In particular, Jamison '773 teaches the use of calculating the photographic densities during image formation successively **(i.e., Para 0007 and 10 of Fig. 1, the photographic densities are calculated by a processor)**, and calculates the average photographic densities from the usage histories **(i.e., 110 of Fig. 1, Processor calculates photographic densities from the usage histories)** and the successively calculated photographic densities **(i.e., Average photographic densities used will give user an idea of remaining pages left as taught by Hopper '391)**

In view of this, it would have been obvious to one having ordinary skill in the art at the time of invention was made to modify the image forming system of Hisashi '290 and Hopper '391 as taught by Jamison '773 since Jamison '773 suggested in Para 003 that such a modification would permit would save time and money.

7. Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hisashi '290 and Owa '971 as applied to Claim 13 above and further in view of Hopper '391.

With respect to **Claim 15**, combination of Hisashi '290 and Owa '971 does not explicitly teach the image forming apparatuses outputting the image are selected so that the average photographic densities are approximately the same in the image forming apparatuses.

Hopper '391 teaches an image forming system wherein the image forming apparatuses outputting the image are selected so that the average photographic densities are approximately the same in the image forming apparatuses. (i.e., **Col. 6 Lines 15-22, User is prompted by a display to use the function of an input device to select an image forming apparatus with a designated printer so that the usage histories of the consumable resources are approximately the same**).

In view of this, it would have been obvious to one having ordinary skill in the art at the time of invention was made to modify the image forming system of Hisashi '290 and Owa '971 as taught by Hopper '391 since Hopper '391 suggested in Col. 1 Lines 35-38 that such a modification would provide additional status information such as paper toner before the resource depletion level to allow for more active monitoring and maintenance of printers.

8. Claim 18 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hisashi '290 and Owa '971 as applied to claim 1 above, and further in view of Hopper '391

With respect to **Claim 18**, the combination of Hisashi '290 and Owa '971 does not explicitly teach an image forming system wherein the developer contains color particles.

However, the mentioned claimed limitations are well known in the art as evidenced by Hopper '391, In particular, Hopper '391 teaches the use of image forming system wherein the developer contains color particles (i.e., **Col. 7 Lines 17-19, Developer contains color particles such as C M Y K color**).

In view of this, it would have been obvious to one having ordinary skill in the art at the time of invention was made to modify the image forming system of Hisashi '290 and Owa '971 as taught by Hopper '391 since Hopper '391 suggested in Col. 1 Lines 35-38 that such a modification would provide additional status information such as paper toner before the resource depletion level to allow for more active monitoring and maintenance of printers.

9. Claims 20 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hisashi '290 and Owa '971 as applied to Claim 1 above and further in view of Iwata et al (hereinafter " Iwata '718 "7,173,718)

With respect to **Claim 20**, the combination of Hisashi '290 and Owa '971 does not explicitly teach an image forming system further comprising a display unit for displaying a list of the image forming apparatuses selected for outputting the image

However, the mentioned claimed limitations are well known in the art as evidenced by Iwata '718, In particular, Iwata '718 teaches the use of an image forming system (**i.e., Fig. 1, Image forming system**) further comprising a display unit for displaying a list of the image forming apparatuses selected for outputting the image (**i.e., Fig. 18, List of image forming apparatuses selected for outputting an image**)

In view of this, it would have been obvious to one having ordinary skill in the art at the time of invention was made to modify the image forming system of Hisashi '290 and Owa '971 as taught by Iwata '718 since Iwata '718 suggested in Col. 2 Lines 21-23 that such a modification would ensure favorable resulting prints with good operatability.

With respect to **Claim 21**, Hisashi '290 teaches an image forming system further comprising an operating unit (**i.e., 70 of Drawing 2, control unit**) for giving an instruction to execute the output with specifying a part or the entire image forming apparatuses displayed on said display unit. (**i.e., Drawing 2 and Para 0019, gives an instruction to execute the output and for selecting an image forming apparatus displayed**)

Conclusion

10. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DENNIS DICKER whose telephone number is (571)270-

Art Unit: 2625

3140. The examiner can normally be reached on Monday -Thursday 7:30 A.M. to 5:00 P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Twyler Haskins can be reached on (571) 272-7406. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/D. D./
Examiner, Art Unit 2625
7/21/2008

/Twyler L. Haskins/
Supervisory Patent Examiner, Art Unit 2625